

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L1 | 2868 | 709/203.ccls. | USPAT | OR | ON | 2005/09/26 18:47 |
| L2 | 54 | (data near transmission near speed near3 modem) | USPAT | OR | ON | 2005/09/26 18:47 |
| L3 | 2 | (baut adj rate).ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/26 18:47 |
| L4 | 2 | (baut adj rate) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/26 18:47 |
| L5 | 50 | (data adj transmission adj speed near2 modem) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/26 18:47 |
| L6 | 2 | "5791992".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/26 18:47 |
| L7 | 2 | "5971855".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/26 18:47 |
| L8 | 1 | (baud adj rate adj select\$3) and serial same connection and (message character string) and cache and (host client) same (pc device terminal computer station) | USPAT | OR | ON | 2005/09/26 18:47 |
| L9 | 223 | (baud adj rate adj select\$3) | USPAT | OR | ON | 2005/09/26 18:47 |
| L10 | 171 | (baud adj rate adj select\$3) and (null adj modem or (message string character)) | USPAT | OR | ON | 2005/09/26 18:47 |
| L11 | 5 | (baud adj rate adj select\$3) and (null adj modem and (message string character)) | USPAT | OR | ON | 2005/09/26 18:47 |
| L12 | 2 | (baud adj rate adj select\$3) and 709/203.ccls. | USPAT | OR | ON | 2005/09/26 18:47 |
| L13 | 26 | (baud adj rate adj select\$3) same table | USPAT | OR | ON | 2005/09/26 18:47 |
| L14 | 15 | 463/42.ccls. and (baud adj rate) | USPAT | OR | ON | 2005/09/26 18:47 |
| L15 | 5040 | baud adj rate | USPAT | OR | ON | 2005/09/26 18:47 |

| | | | | | | |
|-----|-------|--|-------|----|----|------------------|
| L16 | 31 | baud adj rate near selector | USPAT | OR | ON | 2005/09/26 18:47 |
| L17 | 4 | baud adj rate near selector same detect\$3 | USPAT | OR | ON | 2005/09/26 18:47 |
| L18 | 1 | (baud adj rate) near detector and select\$3 and table and serial near connect\$4 | USPAT | OR | ON | 2005/09/26 18:47 |
| L19 | 13 | (baud adj rate adj select\$3) and (null adj modem or (message string character))and (message detector) and listen | USPAT | OR | ON | 2005/09/26 18:47 |
| L20 | 2 | (baud adj rate adj select\$3) and (null adj modem or (message string character))and (message detector) and listen near5 message | USPAT | OR | ON | 2005/09/26 18:47 |
| L21 | 35 | (baud adj rate adj select\$3) and (null adj modem or (message string character))and (message detector) and audio | USPAT | OR | ON | 2005/09/26 18:47 |
| L22 | 1 | "6266339".pn. and (baud adj rate) | USPAT | OR | ON | 2005/09/26 18:47 |
| L23 | 1 | "6266339".pn. and (baud adj rate) and table | USPAT | OR | ON | 2005/09/26 18:47 |
| L24 | 1 | "6263396".pn. and (baud adj rate) | USPAT | OR | ON | 2005/09/26 18:47 |
| L25 | 5 | (message audio) adj select\$3 same (listen\$3 hear\$3 detect\$3) same (baud data adj rate) | USPAT | OR | ON | 2005/09/26 18:47 |
| L26 | 0 | (message audio) adj select\$3 same (listen\$3 hear\$3) same (baud data adj rate) | USPAT | OR | ON | 2005/09/26 18:47 |
| L27 | 22832 | (baud data adj rate) and (list table) | USPAT | OR | ON | 2005/09/26 18:47 |
| L28 | 3223 | (baud adj rate) and (list table) | USPAT | OR | ON | 2005/09/26 18:47 |
| L29 | 22 | (baud adj rate) near (list table) | USPAT | OR | ON | 2005/09/26 18:47 |
| L30 | 271 | 379/93.08.ccls. | USPAT | OR | ON | 2005/09/26 18:47 |
| L31 | 152 | 379/2.ccls. | USPAT | OR | ON | 2005/09/26 18:47 |
| L32 | 2868 | 709/203.ccls. | USPAT | OR | ON | 2005/09/26 18:47 |
| L33 | 1 | "5490209".pn. | USPAT | OR | ON | 2005/09/26 18:47 |
| L34 | 290 | "709"/\$.ccls. and (baud or baut) adj rate | USPAT | OR | ON | 2005/09/26 18:47 |
| L35 | 0 | "709"/\$.ccls. and (baud or baut) adj rate and ((predetermin\$3) adj (period and message)) | USPAT | OR | ON | 2005/09/26 18:47 |
| L36 | 158 | "709"/\$.ccls. and (baud or baut) adj rate and (period and message) | USPAT | OR | ON | 2005/09/26 18:47 |

| | | | | | | |
|-----|-------|--|-------|----|----|------------------|
| L37 | 3 | "709"/\$.ccls. and (baud or baut) adj rate and (period and message) and (baud baut adj rate).ab. | USPAT | OR | ON | 2005/09/26 18:47 |
| L38 | 3 | "709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined and (baut baud).ab. | USPAT | OR | ON | 2005/09/26 18:47 |
| L39 | 113 | "709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined | USPAT | OR | ON | 2005/09/26 18:47 |
| L40 | 92 | "709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined and detect\$5 | USPAT | OR | ON | 2005/09/26 18:47 |
| L41 | 14 | "709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined and detect\$5 same (baut baud adj rate) | USPAT | OR | ON | 2005/09/26 18:47 |
| L42 | 25 | 709/206,203.ccls. and (baud or baut) adj rate and (period and message) | USPAT | OR | ON | 2005/09/26 18:47 |
| L43 | 0 | 379/97.ccls. and (baud or baut) adj rate and (period and message) | USPAT | OR | ON | 2005/09/26 18:47 |
| L44 | 0 | 379/97.ccls. and (baud or baut) adj rate | USPAT | OR | ON | 2005/09/26 18:47 |
| L45 | 1 | (baud adj rate adj select\$3) and serial same connection and (message character string) and cache and (host client) same (pc device terminal computer station) | USPAT | OR | ON | 2005/09/26 18:47 |
| L46 | 5040 | baud adj rate | USPAT | OR | ON | 2005/09/26 18:47 |
| L47 | 2 | (baud adj rate adj select\$3) and (null adj modem or (message string character))and (message detector) and listen near5 message | USPAT | OR | ON | 2005/09/26 18:47 |
| L48 | 0 | (message audio) adj select\$3 same (listen\$3 hear\$3) same (baud data adj rate) | USPAT | OR | ON | 2005/09/26 18:47 |
| L49 | 22832 | (baud data adj rate) and (list table) | USPAT | OR | ON | 2005/09/26 18:47 |
| L50 | 3223 | (baud adj rate) and (list table) | USPAT | OR | ON | 2005/09/26 18:47 |
| L51 | 290 | "709"/\$.ccls. and (baud or baut) adj rate | USPAT | OR | ON | 2005/09/26 18:47 |
| L52 | 0 | "709"/\$.ccls. and (baud or baut) adj rate and ((predetermin\$3) adj (period and message)) | USPAT | OR | ON | 2005/09/26 18:47 |
| L53 | 158 | "709"/\$.ccls. and (baud or baut) adj rate and (period and message) | USPAT | OR | ON | 2005/09/26 18:47 |

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| L54 | 3 | "709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined and (baut baud).ab. | USPAT | OR | ON | 2005/09/26 18:47 |
| L55 | 92 | "709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined and detect\$5 | USPAT | OR | ON | 2005/09/26 18:47 |
| L56 | 25 | 709/206,203.ccls. and (baud or baut) adj rate and (period and message) | USPAT | OR | ON | 2005/09/26 18:47 |
| L57 | 0 | 379/97.ccls. and (baud or baut) adj rate and (period and message) | USPAT | OR | ON | 2005/09/26 18:47 |
| L58 | 0 | 379/97.ccls. and (baud or baut) adj rate | USPAT | OR | ON | 2005/09/26 18:47 |
| L59 | 1 | (baud adj rate) near detector and select\$3 and table and serial near connect\$4 | USPAT | OR | ON | 2005/09/26 18:47 |
| L60 | 1 | "6266339".pn. and (baud adj rate) | USPAT | OR | ON | 2005/09/26 18:47 |
| L61 | 1 | "6266339".pn. and (baud adj rate) and table | USPAT | OR | ON | 2005/09/26 18:47 |
| L62 | 1 | "6263396".pn. and (baud adj rate) | USPAT | OR | ON | 2005/09/26 18:47 |
| L63 | 1 | "5490209".pn. | USPAT | OR | ON | 2005/09/26 18:47 |
| L64 | 54 | (data near transmission near speed near3 modem) | USPAT | OR | ON | 2005/09/26 18:47 |
| L65 | 2 | (baut adj rate).ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/26 18:47 |
| L66 | 2 | (baut adj rate) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/26 18:47 |
| L67 | 50 | (data adj transmission adj speed near2 modem) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/26 18:47 |
| L68 | 2 | "5791992".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/26 18:47 |
| L69 | 2 | "5971855".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/26 18:47 |

| | | | | | | |
|-----|------|--|-------|----|----|------------------|
| L70 | 5 | (baud adj rate adj select\$3) and (null adj modem and (message string character)) | USPAT | OR | ON | 2005/09/26 18:47 |
| L71 | 2 | (baud adj rate adj select\$3) and 709/203.ccls. | USPAT | OR | ON | 2005/09/26 18:47 |
| L72 | 26 | (baud adj rate adj select\$3) same table | USPAT | OR | ON | 2005/09/26 18:47 |
| L73 | 15 | 463/42.ccls. and (baud adj rate) | USPAT | OR | ON | 2005/09/26 18:47 |
| L74 | 31 | baud adj rate near selector | USPAT | OR | ON | 2005/09/26 18:47 |
| L75 | 4 | baud adj rate near selector same detect\$3 | USPAT | OR | ON | 2005/09/26 18:47 |
| L76 | 13 | (baud adj rate adj select\$3) and (null adj modem or (message string character))and (message detector) and listen | USPAT | OR | ON | 2005/09/26 18:47 |
| L77 | 35 | (baud adj rate adj select\$3) and (null adj modem or (message string character))and (message detector) and audio | USPAT | OR | ON | 2005/09/26 18:47 |
| L78 | 5 | (message audio) adj select\$3 same (listen\$3 hear\$3 detect\$3) same (baud data adj rate) | USPAT | OR | ON | 2005/09/26 18:47 |
| L79 | 22 | (baud adj rate) near (list table) | USPAT | OR | ON | 2005/09/26 18:47 |
| L80 | 3 | "709"/\$.ccls. and (baud or baut) adj rate and (period and message) and (baud baut adj rate).ab. | USPAT | OR | ON | 2005/09/26 18:47 |
| L81 | 14 | "709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined and detect\$5 same (baut baud adj rate) | USPAT | OR | ON | 2005/09/26 18:47 |
| L82 | 171 | (baud adj rate adj select\$3) and (null adj modem or (message string character)) | USPAT | OR | ON | 2005/09/26 18:47 |
| L83 | 152 | 379/2.ccls. | USPAT | OR | ON | 2005/09/26 18:47 |
| L84 | 113 | "709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined | USPAT | OR | ON | 2005/09/26 18:47 |
| L85 | 223 | (baud adj rate adj select\$3) | USPAT | OR | ON | 2005/09/26 18:47 |
| L86 | 271 | 379/93.08.ccls. | USPAT | OR | ON | 2005/09/26 18:47 |
| L87 | 1 | (baud adj rate adj select\$3) and serial same connection and (message character string) and cache and (host client) same (pc device terminal computer station) | USPAT | OR | ON | 2005/09/26 18:47 |
| L88 | 5040 | baud adj rate | USPAT | OR | ON | 2005/09/26 18:47 |

| | | | | | | |
|------|-------|--|---|----|----|------------------|
| L89 | 2 | (baud adj rate adj select\$3) and (null adj modem or (message string character))and (message detector) and listen near5 message | USPAT | OR | ON | 2005/09/26 18:47 |
| L90 | 0 | (message audio) adj select\$3 same (listen\$3 hear\$3) same (baud data adj rate) | USPAT | OR | ON | 2005/09/26 18:47 |
| L91 | 22832 | (baud data adj rate) and (list table) | USPAT | OR | ON | 2005/09/26 18:47 |
| L92 | 3223 | (baud adj rate) and (list table) | USPAT | OR | ON | 2005/09/26 18:47 |
| L93 | 290 | "709"/\$.ccls. and (baud or baut) adj rate | USPAT | OR | ON | 2005/09/26 18:47 |
| L94 | 0 | "709"/\$.ccls. and (baud or baut) adj rate and ((predetermin\$3) adj (period and message)) | USPAT | OR | ON | 2005/09/26 18:47 |
| L95 | 158 | "709"/\$.ccls. and (baud or baut) adj rate and (period and message) | USPAT | OR | ON | 2005/09/26 18:47 |
| L96 | 3 | "709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined and (baut baud).ab. | USPAT | OR | ON | 2005/09/26 18:47 |
| L97 | 92 | "709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined and detect\$5 | USPAT | OR | ON | 2005/09/26 18:47 |
| L98 | 25 | 709/206,203.ccls. and (baud or baut) adj rate and (period and message) | USPAT | OR | ON | 2005/09/26 18:47 |
| L99 | 0 | 379/97.ccls. and (baud or baut) adj rate and (period and message) | USPAT | OR | ON | 2005/09/26 18:47 |
| L100 | 0 | 379/97.ccls. and (baud or baut) adj rate | USPAT | OR | ON | 2005/09/26 18:47 |
| L101 | 1 | (baud adj rate) near detector and select\$3 and table and serial near connect\$4 | USPAT | OR | ON | 2005/09/26 18:47 |
| L102 | 1 | "6266339".pn. and (baud adj rate) | USPAT | OR | ON | 2005/09/26 18:47 |
| L103 | 1 | "6266339".pn. and (baud adj rate) and table | USPAT | OR | ON | 2005/09/26 18:47 |
| L104 | 1 | "6263396".pn. and (baud adj rate) | USPAT | OR | ON | 2005/09/26 18:47 |
| L105 | 1 | "5490209".pn. | USPAT | OR | ON | 2005/09/26 18:47 |
| L106 | 54 | (data near transmission near speed near3 modem) | USPAT | OR | ON | 2005/09/26 18:47 |
| L107 | 2 | (baut adj rate).ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/26 18:47 |

| | | | | | | |
|------|----|---|---|----|----|------------------|
| L108 | 2 | (baut adj rate) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/26 18:47 |
| L109 | 50 | (data adj transmission adj speed near2 modem) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/26 18:47 |
| L110 | 2 | "5791992".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/26 18:47 |
| L111 | 2 | "5971855".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/26 18:47 |
| L112 | 5 | (baud adj rate adj select\$3) and (null adj modem and (message string character)) | USPAT | OR | ON | 2005/09/26 18:47 |
| L113 | 2 | (baud adj rate adj select\$3) and 709/203.ccls. | USPAT | OR | ON | 2005/09/26 18:47 |
| L114 | 26 | (baud adj rate adj select\$3) same table | USPAT | OR | ON | 2005/09/26 18:47 |
| L115 | 15 | 463/42.ccls. and (baud adj rate) | USPAT | OR | ON | 2005/09/26 18:47 |
| L116 | 31 | baud adj rate near selector | USPAT | OR | ON | 2005/09/26 18:47 |
| L117 | 4 | baud adj rate near selector same detect\$3 | USPAT | OR | ON | 2005/09/26 18:47 |
| L118 | 13 | (baud adj rate adj select\$3) and (null adj modem or (message string character))and (message detector) and listen | USPAT | OR | ON | 2005/09/26 18:47 |
| L119 | 35 | (baud adj rate adj select\$3) and (null adj modem or (message string character))and (message detector) and audio | USPAT | OR | ON | 2005/09/26 18:47 |
| L120 | 5 | (message audio) adj select\$3 same (listen\$3 hear\$3 detect\$3) same (baud data adj rate) | USPAT | OR | ON | 2005/09/26 18:47 |
| L121 | 22 | (baud adj rate) near (list table) | USPAT | OR | ON | 2005/09/26 18:47 |
| L122 | 3 | "709"/\$.ccls. and (baud or baut) adj rate and (period and message) and (baud baut adj rate).ab. | USPAT | OR | ON | 2005/09/26 18:47 |

| | | | | | | |
|------|------|--|-------|----|----|------------------|
| L123 | 14 | "709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined and detect\$5 same (baut baud adj rate) | USPAT | OR | ON | 2005/09/26 18:47 |
| L124 | 171 | (baud adj rate adj select\$3) and (null adj modem or (message string character)) | USPAT | OR | ON | 2005/09/26 18:47 |
| L125 | 152 | 379/2.ccls. | USPAT | OR | ON | 2005/09/26 18:47 |
| L126 | 113 | "709"/\$.ccls. and (baud or baut) adj rate and (period and message) and predetermined | USPAT | OR | ON | 2005/09/26 18:47 |
| L127 | 223 | (baud adj rate adj select\$3) | USPAT | OR | ON | 2005/09/26 18:47 |
| L128 | 271 | 379/93.08.ccls. | USPAT | OR | ON | 2005/09/26 18:47 |
| L129 | 2868 | 709/203.ccls. | USPAT | OR | ON | 2005/09/26 18:47 |
| L130 | 2868 | 709/203.ccls. | USPAT | OR | ON | 2005/09/26 18:47 |
| L131 | 2868 | 709/203.ccls. | USPAT | OR | ON | 2005/09/26 18:47 |
| L132 | 2868 | 709/203.ccls. | USPAT | OR | ON | 2005/09/26 18:47 |
| L133 | 1 | "6675215".pn. | USPAT | OR | ON | 2005/09/26 18:50 |